



TOMASON | FELGEN



• TN27 Superlight •
mattgraphite



• TN27 Superlight •
black painted



• TN27 Superlight •
mattbronze



• TN26 Light •
dark hyperblack polished



• TN25 Superlight •
black painted



• TN25 Superlight •
silver painted



• TN24 •
dark hyperblack CC polished



• TN23 •
black painted



• TN21 •
mattbronze



• TN20 NEW •
black painted



• TN20 NEW •
black polished



• TN19 •
dark hyperblack polished



• TN16 •
bright silver



• TN16 •
black painted



• AR1 •
black diamond polished



• AR1 •
black painted



• TN9 •
dark hyperblack polished




• TN8 •
dark hyperblack polished



• TN7 •
black painted



• TN1 •
dark hyperblack polished





TN1

hyperblack polished

Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
8,0 x 17"	35	63,4	4 x 100	TGA
8,0 x 17"	35	63,4	4 x 108	TGA
8,0 x 17"	35	63,4	5 x 100	TGA
8,0 x 17"	45	72,6	5 x 108	TGA
8,0 x 17"	35	72,6	5 x 112	TGA
8,0 x 17"	40	72,6	5 x 114,3	TGA
8,5 x 18"	30	63,4	5 x 100	TGA
8,5 x 18"	40	72,6	5 x 108	TGA
8,5 x 18"	30	72,6	5 x 112	TGA
8,5 x 18"	45	72,6	5 x 112	TGA
8,5 x 18"	40	72,6	5 x 114,3	TGA
8,5 x 19"	40	72,6	5 x 112	TGA





TN1 bright silver



TN1 black painted



TN1 black rim polished

Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
6,5 x 16"	38	63,4	4 x 100	ABE
6,5 x 16"	20	65,1	4 x 108	ABE
6,5 x 16"	42	63,4	4 x 108	ABE
6,5 x 16"	40	57,1	5 x 100	ABE
6,5 x 16"	40	72,6	5 x 108	ABE
6,5 x 16"	38/46	66,5	5 x 112	ABE
6,5 x 16"	45	72,6	5 x 114,3	ABE
7,0 x 17"	38	63,4	4 x 100	ABE
7,0 x 17"	20	65,1	4 x 108	ABE
7,0 x 17"	40	57,1	5 x 100	ABE
7,0 x 17"	40	72,6	5 x 108	ABE
7,0 x 17"	38/46	66,5	5 x 112	ABE
7,0 x 17"	45	72,6	5 x 114,3	ABE
8,0 x 18"	40	57,1	5 x 100	ABE
8,0 x 18"	45	72,6	5 x 108	ABE
8,0 x 18"	38/45	66,5	5 x 112	ABE
8,0 x 18"	45	72,6	5 x 114,3	ABE
8,0 x 18"	45	72,6	5 x 120	ABE

Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
8,5 x 18"	30	63,4	4 x 100	ABE
8,5 x 18"	40	72,6	5 x 108	ABE
8,5 x 18"	30	72,6	5 x 112	ABE
8,5 x 18"	45	72,6	5 x 112	ABE
8,5 x 18"	40	72,6	5 x 114,3	ABE
8,5 x 18"	35	72,6	5 x 120	ABE
8,5 x 19"	40	72,6	5 x 108	ABE
8,5 x 19"	30	72,6	5 x 112	ABE
8,5 x 19"	40	72,6	5 x 112	ABE
8,5 x 19"	40	72,6	5 x 114,3	ABE
8,5 x 19"	35	72,6	5 x 120	ABE



TN7

black painted

Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
8,5 x 18"	30	63,4	5 x 100	ABE
8,5 x 18"	35	56,6	5 x 105	ABE
8,5 x 18"	40	72,6	5 x 108	ABE
8,5 x 18"	30	72,6	5 x 112	ABE
8,5 x 18"	45	72,6	5 x 112	ABE
8,5 x 18"	40	72,6	5 x 114,3	ABE
8,5 x 18"	35	72,6	5 x 120	ABE
8,5 x 19"	40	72,6	5 x 108	ABE
8,5 x 19"	30	72,6	5 x 112	ABE
8,5 x 19"	45	72,6	5 x 112	ABE
8,5 x 19"	40	72,6	5 x 114,3	ABE
8,5 x 19"	35	70,2	5 x 115	ABE
8,5 x 19"	35	72,6	5 x 120	ABE





Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
8,5 x 19"	30	72,6	5 x 112	TGA
8,5 x 19"	45	72,6	5 x 112	TGA
8,5 x 19"	35	72,6	5 x 120	TGA
9,5 x 19"	35	72,6	5 x 112	TGA
9,5 x 19"	35	72,6	5 x 120	TGA

TN8

hyperblack diamond polished with lip





TN9

hyperblack polished



Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
8,5 x 18"	40	72,6	5 x 108	TGA
8,5 x 18"	30/45	72,6	5 x 112	TGA
8,5 x 18"	40	72,6	5 x 114,3	TGA
8,5 x 18"	35	72,6	5 x 120	TGA
8,5 x 19"	40	72,6	5 x 108	TGA
8,5 x 19"	30/45	72,6	5 x 112	TGA
8,5 x 19"	40	72,6	5 x 114,3	TGA
8,5 x 19"	15	76,9	5 x 120	TGA
8,5 x 19"	35	72,6	5 x 120	TGA

Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
9,5 x 19"	15	76,9	5 x 120	TGA
9,5 x 19"	35	72,6	5 x 120	TGA
8,5 x 20"	30	66,5	5 x 112	TGA
8,5 x 20"	45	66,5	5 x 112	TGA
8,5 x 20"	40	72,6	5 x 114,3	TGA
8,5 x 20"	35	72,6	5 x 120	TGA
10,0 x 20"	35	66,5	5 x 112	TGA
10,0 x 22"	50	71,6	5 x 130	TGA





TN10 high gloss silver

Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
8,5 x 19"	40	72,6	5 x 108	TGA
8,5 x 19"	30	72,6	5 x 112	TGA
8,5 x 19"	45	72,6	5 x 112	TGA
8,5 x 19"	40	72,6	5 x 114,3	TGA



TN10 mattbronze

Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
8,5 x 19"	40	72,6	5 x 108	TGA
8,5 x 19"	30	72,6	5 x 112	TGA
8,5 x 19"	45	72,6	5 x 112	TGA
8,5 x 19"	40	72,6	5 x 114,3	TGA





Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
8,5 x 18"	40	72,6	5 x 108	TGA
8,5 x 18"	30	72,6	5 x 112	TGA
8,5 x 18"	45	66,5	5 x 112	TGA
8,5 x 18"	35	72,6	5 x 120	TGA
8,5 x 19"	40	72,6	5 x 108	TGA
8,5 x 19"	30	72,6	5 x 112	TGA
8,5 x 19"	45	66,5	5 x 112	TGA
8,5 x 19"	40	72,6	5 x 114,3	TGA
8,5 x 19"	35	72,6	5 x 120	TGA

TN12

dark hyperblack polished





Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
8,0 x 18"	35/43	66,6	5 x 112	ABE
8,5 x 19"	25/35/45	66,6	5 x 112	ABE
8,5 x 19"	45	72,6	5 x 114,3	ABE
9,0 x 20"	25/33/40	66,6	5 x 112	ABE
9,0 x 20"	40	65,1	5 x 120	ABE
9,0 x 21"	25/33/35	66,6	5 x 112	ABE
10,0 x 21"	19/30	66,6	5 x 112	ABE
9,5 x 22"	20/30/36	66,6	5 x 112	ABE

AR1 black diamond polished



Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
8,5 x 19"	25/35/45	66,6	5 x 112	ABE
8,5 x 19"	45	72,6	5 x 114,3	ABE
9,0 x 20"	25/33/40	66,6	5 x 112	ABE
9,0 x 20"	40	65,1	5 x 120	ABE

AR1 anthracite diamond polished



Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
8,5 x 19"	35/45	66,6	5 x 112	ABE
8,5 x 19"	45	72,6	5 x 114,3	ABE
9,0 x 20"	33/40	66,6	5 x 112	ABE
9,0 x 20"	40	65,1	5 x 120	ABE

AR1 black painted





TN16

dark hyperblack polished

Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
7,5 x 17"	35	63,4	4 x 100	ABE
7,5 x 17"	42	72,6	5 x 108	ABE
7,5 x 17"	37/47	66,6	5 x 112	ABE
7,5 x 17"	47	72,6	5 x 114,3	ABE
8,0 x 18"	35	63,4	4 x 100	ABE
8,0 x 18"	35	63,4	5 x 100	ABE
8,0 x 18"	40	72,6	5 x 108	ABE
8,0 x 18"	35	65,1	5 x 110	ABE
8,0 x 18"	35/48	72,6	5 x 112	ABE
8,0 x 18"	40	72,6	5 x 114,3	ABE
8,0 x 18"	38	72,6	5 x 120	ABE

Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
8,5 x 19"	40	72,6	5 x 108	ABE
8,5 x 19"	30/45	72,6	5 x 112	ABE
8,5 x 19"	40	72,6	5 x 114,3	ABE
8,5 x 19"	35	72,6	5 x 120	ABE
8,5 x 20"	30/45	72,6	5 x 112	ABE
8,5 x 20"	40	72,6	5 x 114,3	ABE
8,5 x 20"	40	70,2	5 x 115	ABE
8,5 x 20"	35	72,6	5 x 120	ABE
10,0 x 22"	45	66,5	5 x 112	ABE
10,0 x 22"	50	71,6	5 x 130	ABE





Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
7,5 x 17"	35	63,4	4 x 100	ABE
7,5 x 17"	42	72,6	5 x 108	ABE
7,5 x 17"	37/47	66,6	5 x 112	ABE
7,5 x 17"	47	72,6	5 x 114,3	ABE
8,0 x 18"	35	63,4	4 x 100	ABE
8,0 x 18"	35	63,4	5 x 100	ABE
8,0 x 18"	40	72,6	5 x 108	ABE
8,0 x 18"	35	65,1	5 x 110	ABE
8,0 x 18"	35/48	72,6	5 x 112	ABE
8,0 x 18"	40	72,6	5 x 114,3	ABE
8,0 x 18"	38	72,6	5 x 120	ABE
8,5 x 19"	40	72,6	5 x 108	ABE
8,5 x 19"	30/45	72,6	5 x 112	ABE
8,5 x 19"	40	72,6	5 x 114,3	ABE
8,5 x 19"	35	72,6	5 x 120	ABE

TN16

bright silver





TN16

black painted

Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
7,5 x 17"	35	63,4	4 x 100	ABE
7,5 x 17"	42	72,6	5 x 108	ABE
7,5 x 17"	37/47	66,6	5 x 112	ABE
7,5 x 17"	47	72,6	5 x 114,3	ABE
7,5 x 17"	35	72,6	5 x 120	ABE
8,0 x 18"	35	63,4	4 x 100	ABE
8,0 x 18"	35	63,4	5 x 100	ABE
8,0 x 18"	40	72,6	5 x 108	ABE
8,0 x 18"	35	65,1	5 x 110	ABE
8,0 x 18"	35/48	72,6	5 x 112	ABE
8,0 x 18"	40	72,6	5 x 114,3	ABE
8,0 x 18"	38	72,6	5 x 120	ABE
8,5 x 19"	40	72,6	5 x 108	ABE
8,5 x 19"	30/45	72,6	5 x 112	ABE
8,5 x 19"	40	72,6	5 x 114,3	ABE
8,5 x 19"	35	72,6	5 x 120	ABE
8,5 x 20"	30/45	72,6	5 x 112	ABE
8,5 x 20"	40	72,6	5 x 114,3	ABE
8,5 x 20"	40	70,2	5 x 115	ABE
8,5 x 20"	35	72,6	5 x 120	ABE





Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
8,0 x 18"	48	66,6	5 x 112	ABE
8,0 x 18"	50	65,1	5 x 120	ABE
8,5 x 19"	46	66,6	5 x 112	ABE
8,5 x 19"	50	65,1	5 x 120	ABE
9,0 x 20"	25/45	66,5	5 x 112	ABE
9,0 x 20"	40	65,1	5 x 120	ABE
9,0 x 20"	50	71,6	5 x 130	ABE

TN18

gunmetal polished





 **900 kg Radlast**
900 kg wheel load

 **Winterfest**
Winterproof

Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
8,0 x 18"	48	66,6	5 x 112	ABE
8,0 x 18"	50	65,1	5 x 120	ABE
8,5 x 19"	46	66,6	5 x 112	ABE
8,5 x 19"	50	65,1	5 x 120	ABE
9,0 x 20"	25/45	66,5	5 x 112	ABE
9,0 x 20"	40	65,1	5 x 120	ABE
9,0 x 20"	50	71,6	5 x 130	ABE
10,0 x 20"	20/45	66,5	5 x 112	ABE
10,0 x 20"	50	71,6	5 x 130	ABE

TN18 black painted



 **900 kg Radlast**
900 kg wheel load

 **Winterfest**
Winterproof

Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
8,0 x 18"	48	66,6	5 x 112	ABE
8,0 x 18"	50	65,1	5 x 120	ABE
8,5 x 19"	46	66,6	5 x 112	ABE
8,5 x 19"	50	65,1	5 x 120	ABE

TN18 bright silver





TN19

dark hyperblack polished

Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
8,5 x 19"	40	72,6	5 x 108	ABE
8,5 x 19"	30	72,6	5 x 112	ABE
8,5 x 19"	45	72,6	5 x 112	ABE
8,5 x 19"	40	72,6	5 x 114,3	ABE
8,5 x 19"	35	72,6	5 x 120	ABE

Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
8,5 x 20"	30	72,6	5 x 112	ABE
8,5 x 20"	45	72,6	5 x 112	ABE
8,5 x 20"	40	72,6	5 x 114,3	ABE
8,5 x 20"	35	72,6	5 x 120	ABE
9,0 x 21"	35	72,6	5 x 112	ABE
9,0 x 21"	30	72,6	5 x 120	ABE
10,5 x 21"	35	72,6	5 x 112	ABE





Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
8,0 x 18"	35	63,4	5 x 100	ABE
8,0 x 18"	45	72,6	5 x 108	ABE
8,0 x 18"	35/48	72,6	5 x 112	ABE
8,0 x 18"	45	72,6	5 x 114,3	ABE
8,5 x 19"	45	72,6	5 x 108	ABE
8,5 x 19"	30/45	72,6	5 x 112	ABE
8,5 x 19"	45	72,6	5 x 114,3	ABE
8,5 x 19"	35	72,6	5 x 120	ABE

TN20 NEW

black painted





Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
8,0 x 18"	35	63,4	5 x 100	ABE
8,0 x 18"	45	72,6	5 x 108	ABE
8,0 x 18"	35	65,1	5 x 110	ABE
8,0 x 18"	35/48	72,6	5 x 112	ABE
8,0 x 18"	45	72,6	5 x 114,3	ABE
8,5 x 19"	45	72,6	5 x 108	ABE
8,5 x 19"	30/45	72,6	5 x 112	ABE
8,5 x 19"	45	72,6	5 x 114,3	ABE
8,5 x 20"	45	72,6	5 x 108	ABE
8,5 x 20"	30/45	72,6	5 x 112	ABE
8,5 x 20"	45	72,6	5 x 114,3	ABE

TN20 NEW

black polished



NEU!



Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
8,5 x 19"	45	72,6	5 x 112	TGA
8,5 x 19"	45	72,6	5 x 114,3	TGA
8,5 x 20"	45	72,6	5 x 112	TGA
8,5 x 20"	45	72,6	5 x 114,3	TGA

TN21

black painted



NEU!



Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
8,5 x 19"	45	72,6	5 x 112	TGA
8,5 x 19"	45	72,6	5 x 114,3	TGA
8,5 x 20"	45	72,6	5 x 112	TGA
8,5 x 20"	45	72,6	5 x 114,3	TGA

TN21

mattbronze





TN22

black painted



TN22

dark hyperblack polished

Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
8,0 x 18"	40	63,4	5 x 100	ABE
8,0 x 18"	45	72,6	5 x 108	ABE
8,0 x 18"	35/48	72,6	5 x 112	ABE
8,0 x 18"	45	72,6	5 x 114,3	ABE
8,5 x 19"	45	72,6	5 x 108	ABE
8,5 x 19"	30/45	72,6	5 x 112	ABE
8,5 x 19"	45	72,6	5 x 114,3	ABE
8,5 x 20"	45	72,6	5 x 108	ABE
8,5 x 20"	30/45	72,6	5 x 112	ABE
8,5 x 20"	40	72,6	5 x 114,3	ABE
10,0 x 22"	45	66,6	5 x 112	ABE

Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
8,0 x 18"	40	63,4	5 x 100	ABE
8,0 x 18"	45	72,6	5 x 108	ABE
8,0 x 18"	35/48	72,6	5 x 112	ABE
8,0 x 18"	45	72,6	5 x 114,3	ABE
8,0 x 18"	38	72,6	5 x 120	ABE
8,5 x 19"	45	72,6	5 x 108	ABE
8,5 x 19"	30/45	72,6	5 x 112	ABE
8,5 x 19"	45	72,6	5 x 114,3	ABE
8,5 x 19"	35	72,6	5 x 120	ABE
8,5 x 20"	45	72,6	5 x 108	ABE
8,5 x 20"	30/45	72,6	5 x 112	ABE
8,5 x 20"	40	72,6	5 x 114,3	ABE
8,5 x 20"	35	72,6	5 x 120	ABE
10,0 x 22"	45	66,6	5 x 112	ABE
10,0 x 22"	50	71,6	5 x 130	ABE





Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
8,0 x 18"	42	63,4	5 x 108	ABE
8,0 x 18"	33	65,1	5 x 110	ABE
8,0 x 18"	35/43	66,6	5 x 112	ABE
8,0 x 18"	38	67,1	5 x 114,3	ABE
9,5 x 19"	45	72,6	5 x 114,3	ABE
9,5 x 20"	45	72,6	5 x 114,3	ABE

TN23

black painted



Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
8,5 x 19"	45	63,4	5 x 108	ABE
8,5 x 19"	25/35/45	66,6	5 x 112	ABE
8,5 x 19"	44	67,1	5 x 114,3	ABE
8,5 x 19"	35	64,1	5 x 120	ABE
8,5 x 19"	35/40	72,6	5 x 120	ABE
9,5 x 19"	35/45	66,6	5 x 112	ABE
9,5 x 19"	47	72,6	5 x 120	ABE
8,5 x 20"	45	63,4	5 x 108	ABE
8,5 x 20"	25/35/45	66,6	5 x 112	ABE
8,5 x 20"	45	67,1	5 x 114,3	ABE
8,5 x 20"	30	64,1	5 x 120	ABE
8,5 x 20"	30/40	72,6	5 x 120	ABE
9,5 x 20"	22/35/45	66,6	5 x 112	ABE
9,5 x 20"	30/45	72,6	5 x 120	ABE
9,0 x 21"	42	63,4	5 x 108	ABE
9,0 x 21"	25/35	66,6	5 x 112	ABE
9,0 x 21"	40	67,1	5 x 114,3	ABE
9,0 x 21"	30	64,1	5 x 120	ABE
10,0 x 21"	20/35	66,6	5 x 112	ABE

TN23

black diamond polished





Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
8,5 x 19"	45	72,6	5 x 108	ABE
8,5 x 19"	30	72,6	5 x 112	ABE
8,5 x 19"	45	72,6	5 x 112	ABE
8,5 x 19"	40	72,6	5 x 114,3	ABE
8,5 x 20"	45	72,6	5 x 108	ABE
8,5 x 20"	30	72,6	5 x 112	ABE
8,5 x 20"	45	72,6	5 x 112	ABE
8,5 x 20"	40	72,6	5 x 114,3	ABE
8,5 x 20"	35	72,6	5 x 120	ABE

TN24

dark hyperblack rim polished





Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
8,0 x 18"	45	72,6	5 x 100	ABE
8,0 x 18"	45	72,6	5 x 108	ABE
8,0 x 18"	45	72,6	5 x 112	ABE
8,0 x 18"	45	72,6	5 x 114,3	ABE
8,0 x 18"	45	72,6	5 x 120	ABE
8,5 x 19"	45	72,6	5 x 108	ABE
8,5 x 19"	45	72,6	5 x 112	ABE
8,5 x 19"	45	72,6	5 x 114,3	ABE
8,5 x 19"	35	72,6	5 x 120	ABE

TN25 Superlight

mattbronze





 **Extrem leicht**
Superlight

 **Winterfest**
Winterproof

TN25 Superlight mattgraphite

Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
8,0 x 18"	45	72,6	5 x 100	ABE
8,0 x 18"	45	72,6	5 x 108	ABE
8,0 x 18"	45	72,6	5 x 112	ABE
8,0 x 18"	45	72,6	5 x 114,3	ABE
8,0 x 18"	45	72,6	5 x 120	ABE
8,5 x 19"	45	72,6	5 x 108	ABE
8,5 x 19"	45	72,6	5 x 112	ABE
8,5 x 19"	45	72,6	5 x 114,3	ABE
8,5 x 19"	35	72,6	5 x 120	ABE



 **Extrem leicht**
Superlight

 **Winterfest**
Winterproof

TN25 Superlight black painted

Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
8,5 x 19"	40	72,6	5 x 114,3	ABE



TN25 Superlight

silver painted

Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
8,5 x 19"	40	72,6	5 x 114,3	ABE

 Extrem leicht
Superlight

 Winterfest
Winterproof



TN26 Light

dark hyperblack polished



 **Extrem leicht**
Superlight

Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
8,5 x 19"	45	72,6	5 x 108	ABE
8,5 x 19"	30/45	72,6	5 x 112	ABE
8,5 x 19"	45	72,6	5 x 114,3	ABE
8,5 x 20"	45	72,6	5 x 108	ABE
8,5 x 20"	30/45	72,6	5 x 112	ABE
8,5 x 20"	40	72,6	5 x 114,3	ABE



 **Extrem leicht**
Superlight

 **Winterfest**
Winterproof

TN26 Light

mattbronze

Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
8,5 x 19"	45	72,6	5 x 112	ABE
8,5 x 19"	45	72,6	5 x 114,3	ABE
8,5 x 20"	45	72,6	5 x 112	ABE
8,5 x 20"	40	72,6	5 x 114,3	ABE



 **Extrem leicht**
Superlight

 **Winterfest**
Winterproof

TN26 Light

black painted

Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
8,5 x 19"	45	72,6	5 x 112	ABE
8,5 x 19"	45	72,6	5 x 114,3	ABE
8,5 x 20"	45	72,6	5 x 112	ABE
8,5 x 20"	40	72,6	5 x 114,3	ABE



NEU!



Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
8,5 x 19"	45	72,6	5 x 108	ABE
8,5 x 19"	45	72,6	5 x 112	ABE
8,5 x 19"	45	72,6	5 x 114,3	ABE
8,5 x 19"	35	72,6	5 x 120	ABE

TN27 Superlight

mattbronze





Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
8,5 x 19"	45	72,6	5 x 108	ABE
8,5 x 19"	45	72,6	5 x 112	ABE
8,5 x 19"	45	72,6	5 x 114,3	ABE
8,5 x 19"	35	72,6	5 x 120	ABE

 **Extrem leicht**
Superlight

 **Winterfest**
Winterproof

TN27 Superlight

mattprahite



Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
8,5 x 19"	45	72,6	5 x 108	ABE
8,5 x 19"	45	72,6	5 x 112	ABE
8,5 x 19"	45	72,6	5 x 114,3	ABE
8,5 x 19"	35	72,6	5 x 120	ABE

 **Extrem leicht**
Superlight

 **Winterfest**
Winterproof

TN27 Superlight

black painted

NEU!



Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
6,5 x 16"	60	71,1	5 x 118	ABE
6,5 x 16"	62	84,1	6 x 130	ABE
7,5 x 17"	64	71,1	5 x 118	TGA
7,5 x 17"	60	84,1	6 x 130	TGA
7,5 x 18"	60	71,1	5 x 118	TGA
7,5 x 18"	54	84,1	6 x 130	TGA

TN1F

black painted





Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
6,5 x 15"	60	71,1	5 x 118	ABE
6,5 x 16"	60	71,1	5 x 118	ABE
6,5 x 16"	50	65,1	5 x 120	ABE
6,5 x 16"	60	78,1	5 x 130	ABE
6,5 x 16"	62	84,1	6 x 130	ABE



TN3F

black painted



Größe Size	ET Offset	Nabenbohrung Center	Lochkreis PCD	Freigabe Approval
6,5 x 15"	60	71,1	5 x 118	ABE
6,5 x 16"	50	65,1	5 x 120	ABE
6,5 x 16"	62	84,1	6 x 130	ABE



TN3F

silver painted



DIE FELGE AUSM POTT.

Ihr **TOMASON** Fachhändler | Your **TOMASON** dealer

Tomason GmbH
An der Walkmühle 2
45356 Essen
Germany

Fon +49 201 36403-0
E-Mail info@tomason.de

© 2021 Tomason GmbH

Änderungen und Irrtümer vorbehalten
Errors and Modifications excepted

TOMASON.DE